ISSUE DATE: September 2013

REVISION DATE: January 2022

VERSION: 1

1. IDENTIFICATION

PRODUCT IDENTIFIER PRODUCT NAME BESHET REGAL 42

OTHER MEANS OF IDENTIFICATION Product Code

Recommended Uses Low Acid Bowl Cleaner

SDS-SUPPLIER INFORMATION

SUPPLIER ADDRESS Beshet Supply 3600 West Jarvis Avenue Skokie, IL 60076

EMERGENCY TELEPHONE NUMBER

COMPANY PHONE NUMBER (847) 679-2600 COMPANY FAX NUMBER 24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686) NORTH AMERICA 1-800-633-8253 INTERNATIONAL PERS 1-801-629-0667

2. HAZARDS IDENTIFICATION

CLASSIFICATION

Skin corrosion/irritation Category 1B Serious eye damage/eye irritation Category 1 Corrosive to Metals Category 1

SIGNAL WORD: Danger

HAZARD STATEMENTS



HAZARD STATEMENTS

- 1. Causes severe skin burns and eye damage
- 2. Harmful if swallowed
- 3. May be corrosive to metals

APPEARANCE Blue opaque liquid

PHYSICAL STATE Liquid

PRECAUTIONARY STATEMENTS

	PRECAUTIONART STATEMENTS
PREVENTION	Do not breathe dust/fume/gas/ mist/ vapors/ spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/ protective clothing/ eye protection/ face protection
RESPONSE	Immediately call poison center or doctor/ physician
IF SWALLOWED	Call POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.
IF IN EYES	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician
IF ON SKIN/HAIR	Immediately remove all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse.
IF INHALED	Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician.
IF EXPOSED/CONCERNED	Get medical advice/ attention.
STORAGE	Store locked-up.
DISPOSAL	Dispose of contents/container to an approved waste disposal plant.
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)	N/A
OTHER INFORMATION	N/A

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	WEIGHT - %
Hydrochloric acid	7647-01-0	5 - 10
Water	7732-18-5	90
Fragrance	N/A	< 1
Dye	N/A	< 1

4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

- **GENERAL ADVICE** Immediately call a POISON CENTER or doctor/physician.
 - **EYE CONTACT** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
 - **SKIN CONTACT** Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse.
 - Remove person to fresh air and keep at rest in a position comfortable forINHALATIONbreathing.Immediately call poison center or doctor/ physician.

INGESTION Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink 1-2 glasses of water. Immediate medical attention is required.

POTENTIAL ACUTE HEALTH EFFECTS

Most important symptoms and effects, both acute and delayed

SYMPTOMS Exposed individuals may experience eye tearing, redness and discomfort. Contact will cause irritation and redness to be exposed areas. May cause irritation to the mucous membranes and upper respiratory tract. May cause gastrointestinal tract irritation, nausea, vomiting, and diarrhea.

NOTES TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

UNSUITABLE EXTINGUISHING MEDIA None known

SPECIFIC HAZARDS ARISING FROM CHEMICAL Not determined

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/ NIOSH (approved and equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

PERSONAL PRECAUTIONS Use personal protective equipment as required. Spills may be slippery. **ENVIRONMENTAL PRECAUTIONS** Avoid discharges into open waterways. Avoid discharge to soil.

METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

CONTAMINATIONPrevent further leakage or spillage is safe to do so
Avoid runoff into storm sewers and ditches which lead to waterways.
Prevent product from entering into stream, soil, storm sewer or other
bodies of water.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

PROTECTIVE MEASURES Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Do not breathe dust/fume/gas/mist/vapor/ spray. Do not eat, drink, or smoke when using this product. Use personal protection recommended in Section 8.

CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES)

STORAGE CONDITIONS Keep containers tightly closed in a dry, cool, and well-ventilated place. Store locked up.

INCOMPATIBLE MATERIALS Not determined

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES

CHEMICAL NAME	
Hydrochloric acid	

ACGIH TLV 2 ppm OSHA PEL 5 ppm NIOSH IDLH

ENGINEERING CONTROLS Apply technical measures to comply with the occupational exposure limits.

INDIVIDUAL PROTECTION MEASURES

EYE/FACE PROTECTION SKIN/BODY PROTECTION RESPIRATORY PROTECTION GENERAL HYGIENE

Wear approved safety goggles. Wear rubber or neoprene gloves. Ensure adequate ventilation, especially in confined areas. Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Liquid
APPERANCE	Liquid
COLOR	
ODOR	
ODOR THRESHOLD	Not determined
рН	< 1.0
MELTING POINT/FREEZING POINT	
BOILING POINT/BOILING RANGE	212°F/ 100° C
FLASH POINT	Non-Flammable
EVAPORATION RATE	No data available
FLAMMABILITY (SOLID, GAS)	N/A
UPPER FLAMMABILITY LIMITS	N/A
LOWER FLAMMABILITY LIMITS	N/A
VAPOR PRESSURE	20 mm Hg at (68°F)
SPECIFIC GRAVITY	1.035 grams/ml. at 20°C (68°F)
RELATIVE DENSITY	No data available
WATER SOLUBILITY	Completely soluble
PARTITION COEFFICIENT	Not determined
N-OCTANOL/ WATER	Not determined
AUTO-IGNITION TEMPERATURE	Not determined
DECOMPOSITION TEMPERATURE	Not determined
VISCOSITY	Water thin

10. STABILITY AND REACTIVITY

REACTIVITY	Not reactive under normal conditions
CHEMICAL STABILITY	Stable under recommended storage conditions
POSSIBILITY OF HAZARDOUS REACTIONS	None under normal processing
CONDITIONS TO AVOID	Keep out of reach of children
INCOMPATIBLE MATERIALS	Strong alkalis, reducing agents, chlorine bleach products; metals e.g. aluminum, brass, copper, iron.
HAZARDOUS DECOMPOSITION PRODUCTS	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure.

EYE CONTACTCauses severe eye damage.SKIN CONTACTCauses severe skin burns.INHALATIONAvoid breathing vapors or mists.INGESTIONMay be harmful if swallowed.

COMPONENT INFORMATION

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Hydrochloric acid	900 mg/kg (rat)	-	2134 mg/l (Rat), Aerosol

SYMPTOMS Please see section 4 of this SDS for symptoms.

CARCINOGENICITY This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC, or NTP.

NUMERICAL MEASURES OF TOXICITY-PRODUCT Not determined.

THE FOLLOWING VALUES ARE CALCULATED BASED ON CHAPTER 3.1 OF THE GHS DOCUMENT

ATEMIX (ORAL) 1281 MG/KG ATEMIX (DERMAL) 27049 MG/KG

12. ECOLOGICAL INFORMATION

ECOTOXICITY This product is toxic to fish.

PERSISTENCE AND DEGRADABILITYNot determinedBIOACCUMULATIONNot determinedMOBILITYNot determinedOTHER ADVERSE EFFECTSNot determined

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

WASTE DISPOSAL

Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for intended purpose. Small amounts (less than 1 gallon) m ay be diluted with copious amounts of water and disposed of into sanitary sewer. Rinse container with clear water. Offer container for recycling, or dispose of in trash.

CONTAMINATED PACKAGING

14. TRANSPORT INFORMATION

DOT

UN/ ID No UN1760 Proper Shipping Name Compou Hazard Class 8 Packing Group III

Compound, Cleaning Liquid
8
III

ΙΑΤΑ

UN/ ID No UN Proper Shipping Name Co Hazard Class 8 Packing Group III

D No UN1760 ame Compound, Cleaning Liquid lass 8 roup III

IMDG

UN/ ID No UN1760 Hazard Class 8 Packing Group III

Proper Shipping Name Corrosive liquids, n.o.s. (*Potassium hydroxide, sodium metasilicate*)

15. REGULATORY INFORMATION

INTERNATIONAL INVENTORIES

LEGEND

TSCA	United States Toxic Substances Control Act Section 8(B) Inventory
DSL/NDSL	Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS	European Inventory of Existing/Notified Chemical Substances
ENCS	Japan Existing and New Chemical Substances
IECSC	China Inventory of Existing Chemical Substances
KECL	Korean Existing and Evaluated Chemical Substances
PICCS	Philippines Inventory of Chemicals and Chemical Substances

U.S. FEDERAL REGULATIONS

SARA 313/312 HAZARD CATEGORIES					
CHEMICAL NAME	CAS NO. WEIGHT % SARA 313-THRESHOLD VALUES %				
Hydrochloric acid		5-10%			
	CLEAN	WATER ACT (C)	NA)		
REPORTABLE TOXIC PRIORITY HAZARDOUS CHEMICAL NAME QUANTITIES POLLUTANTS POLLUTANTS SUBSTANCES					
Potassium hydroxide 1310-58-3	1000 LBS			X	
CHEMICAL NAME	HAZARDOUS REPORTABLE SUBSTANCES RQ CERCLA/SARA RQ QUANTITY (RQ)			REPORTABLE QUANTITY (RQ)	
Hydrochloric acid	5000 LBS			RQ 5000lb final RQ	
U.S. STATE REGULATIONS					
U.S. STATE RIGHT-TO-KNOW REGULATIONS					
CHEMICAL NAME	NEW JERSEY	MASSA	CHUSETTS	PENNSYLVANIA	
Hydrochloric acid	X		X	X	

Х

Х

Х

Potassium hydroxide

16. OTHER INFORMATION	

NFPA	HEALTH HAZARDS	FLAMMABILITY	INSTABILITY	SPECIAL HAZARDS
NFFA	Not determined	Not determined	Not determined	Not determined
HMIS	HEALTH HAZARDS	FLAMMABILITY	PHYSICAL HAZARDS	PERSONAL PROTECTION
пилэ	Not determined	Not determined	Not determined	В
				=

DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

END OF SAFETY DATA SHEET