ISSUE DATE: September 2013

REVISION DATE: January 2022

VERSION: 1

1. IDENTIFICATION

PRODUCT IDENTIFIER PRODUCT NAME BESHET DIAMOND 37

OTHER MEANS OF IDENTIFICATION

SDS Number: E-023

Recommended Uses Finishing agent

SDS-SUPPLIER INFORMATION

SUPPLIER ADDRESS Beshet Supply 3600 West Jarvis Avenue Skokie, IL 60076

EMERGENCY TELEPHONE NUMBER

COMPANY PHONE NUMBER (847) 679-2600 COMPANY FAX NUMBER 24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686) NORTH AMERICA 1-800-633-8253 INTERNATIONAL PERS 1-801-629-0667

2. HAZARDS IDENTIFICATION

CLASSIFICATION

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

SIGNAL WORD Warning

APPEARANCE According to product specification

PHYSICAL STATE Liquid

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	WEIGHT - %
tributoxyethyl phosphate	78-51-3	20-25
Glycol ether TPM	25498-49-1	20-25
Dipropylene Glycol Monomethyl Ether (DPM)	34590-94-8	20-25

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

- **GENERAL ADVICE** Provide this SDS to medical personnel for treatment.
 - **EYE CONTACT** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
 - **SKIN CONTACT** Wash off immediately with plenty of water for at least 15 minutes.
 - **INHALATION** Remove to fresh air.
 - **INGESTION** Clean mouth with water and drink afterwards plenty of water.

POTENTIAL ACUTE HEALTH EFFECTS

Most important symptoms and effects, both acute and delayed

SYMPTOMS Not determined.

NOTES TO PHYSICIAN Treat symptomatically

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA	Use extinguishing measures that are appropriate to local
SUITABLE EXTINGUISHING MEDIA	circumstances and the surrounding environment.

UNSUITABLE EXTINGUISHING MEDIA None known

SPECIFIC HAZARDS ARISING FROM CHEMICAL Not determined

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/ NIOSH (approved and equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

PERSONAL PRECAUTIONSUse personal protective equipment as required.ENVIRONMENTAL PRECAUTIONSSee Section 12 for additional Ecological Information.

METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

CONTAMINATION
CLEAN-UPPrevent further leakage or spillage is safe to do so
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

PROTECTIVE MEASURES Handle in accordance with good industrial hygiene and safety practice.

CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES)

STORAGE CONDITIONS Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

INCOMPATIBLE MATERIALS None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES

ACGIH TLV	OSHA PEL	NIOSH IDLH
STEL: 150 ppm	TWA: 100 ppm	IDLH: 600 ppm
TWA: 100 ppm S*	TWA: 600 mg/m3	TWA: 100 ppm
	(vacated) TWA: 100 ppm	TWA: 600 mg/m3
	(vacated) TWA: 600	STEL: 150 ppm
	mg/m3 (vacated) STEL:	STEL: 900 mg/m3
	150 ppm (vacated) STEL:	
	900 mg/m3	
	(vacated) S* S*	
	STEL: 150 ppm	STEL: 150 ppm TWA: 100 ppm S* TWA: 100 ppm S* (vacated) TWA: 100 ppm (vacated) TWA: 100 ppm (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m3 (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m3

ENGINEERING CONTROLS Apply technical measures to comply with the occupational exposure limits.

INDIVIDUAL PROTECTION MEASURES

EYE/FACE PROTECTION	Refer to 29 CFR 1910.133 for eye and face protection regulations.
SKIN/BODY PROTECTION	Refer to 29 CFR 1910.138 for appropriate skin and body protection.
RESPIRATORY PROTECTION	Refer to 29 CFR 1910.134 for respiratory protection requirements.
GENERAL HYGIENE	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Liquid
APPERANCE	Opaque
COLOR	White
ODOR	None
ODOR THRESHOLD	Not determined
рН	8.3
MELTING POINT/FREEZING POINT	Not determined
BOILING POINT/BOILING RANGE	Not determined
FLASH POINT	Not determined
EVAPORATION RATE	Not determined
FLAMMABILITY (SOLID, GAS)	Not determined
UPPER FLAMMABILITY LIMITS	Not determined

LOWER FLAMMABILITY LIMITS Not determined VAPOR PRESSURE Not determined SPECIFIC GRAVITY 1.00 **RELATIVE DENSITY** Not determined WATER SOLUBILITY Not determined PARTITION COEFFICIENT Not determined N-OCTANOL/ WATER Not determined **AUTO-IGNITION TEMPERATURE** Not determined **DECOMPOSITION TEMPERATURE** Not determined VISCOSITY Not determined

10. STABILITY AND REACTIVITY

REACTIVITY
CHEMICAL STABILITYNot reactive under normal conditionsPOSSIBILITY OF HAZARDOUS REACTIONS
CONDITIONS TO AVOID
INCOMPATIBLE MATERIALSNone under normal processing
Keep out of reach of children
None known based on information supplied.HAZARDOUS DECOMPOSITION PRODUCTSNone known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure.EYE CONTACTAvoid contact with eyes.SKIN CONTACTAvoid contact with skinINHALATIONDo not inhale.INGESTIONDo not ingest.

COMPONENT INFORMATION

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
tributoxyethyl phosphate 78-51-3	= 3000 mg/kg (Rat)	> 16 mL/kg (Rabbit)	> 6.4 mg/L (Rat) 4 h
Di(ethylene glycol) ethyl ether 111-90-0	= 1920 mg/kg (Rat)	= 6 mL/kg (Rat) = 4200 μL/kg (> 5240 mg/m3 (Rat) 4 h
Glycol ether TPM 25498- 49-1	= 3184 mg/kg (Rat)	Rabbit)	-
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	= 5230 mg/kg (Rat)	= 15440 mg/kg (Rabbit)	-

SYMPTOMS Please see section 4 of this SDS for symptoms.

CARCINOGENICITY Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

NUMERICAL MEASURES OF TOXICITY-PRODUCT Not determined.

12. ECOLOGICAL INFORMATION

ECOTOXICITY Harmful to aquatic life with long lasting effects.

CHEMICAL	ALGAE/ AQUATIC		TOXIC TO	
NAME	PLANTS	FISH	MICROORGANISMS	CRUSTACEA
tributoxyethyl		10.4 - 12.0: 96 h Pimephales		
phosphate	-	promelas mg/L LC50 flow-	-	-
78-51-3		through		
		10000: 96 h Lepomis		
		macrochirus mg/L LC50		
		static 19100 - 23900: 96 h		
		Lepomis macrochirus mg/L LC50 flow-through 11400 -		3940 - 4670:
Di(ethylene glycol) ethyl		15700: 96 h Oncorhynchus		48 h Daphnia
ether	-	mykiss mg/L LC50 flow-	-	magna mg/L
111-90-0		through 11600 - 16700: 96 h		EC50
		Pimephales promelas mg/L		
		LC50 flow-through 13400. 96		
		h Salmo gairdneri mg/L		
		LC50 flow-through		
				10: 48 h
Glycol ether TPM	-	11619: 96 h Pimephales	-	Daphnia
25498-49-1		promelas mg/L LC50 static		magna
				mg/L EC50
				1919: 48 h
Dipropylene Glycol				Daphnia
Monomethyl Ether		10000: 96 h Pimephales		magna mg/L
(DPM)		promelas mg/L LC50 static	-	LC50
34590-94-8				

PERSISTENCE AND DEGRADABILITYNot determinedBIOACCUMULATIONNot determined

MOBILITY			
Chemical Name	Partition Coefficient		
tributoxyethyl phosphate	3.65 - 4.78		
78-51-3			
Di(ethylene glycol) ethyl ether	-0.8		
111-90-0			
Dipropylene Glycol Monomethyl Ether (DPM)	-0.064		
34590-94-8			

OTHER ADVERSE EFFECTS Not determined

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

WASTE DISPOSAL

Disposal should be in accordance with applicable regional, national and local laws and regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

CONTAMINATED PACKAGING

CHEMICAL NAME Toxic

Zinc Ammonium Carbonate Compound 38714-47-5

CALIFORNIA HAZARDOUS WASTE STATUS

TRANSPORT INFORMATION 14.

NOTE Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

Not regulated

ΙΑΤΑ

Not regulated

IMDG

Marine Pollutant This material may meet the definition of a marine pollutant.

15. REGULATORY INFORMATION

INTERNATIONAL INVENTORIES

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
tributoxyethyl phosphate	Present	Х		Present		Present	Х	Present	Х	Х
Glycol ether TPM	Present	Х		Present		Present	Х	Present	Х	Х
Dipropylene Glycol	Present	Х		Present		Present	Х	Present	Х	Х
Monomethyl Ether (DPM)										

LEGEND			
TSCA	United States Toxic Substances Control Act Section 8(B)		
	Inventory		
DSL/NDSL	Canadian Domestic Substances List/Non-Domestic		
	Substances List		
EINECS/ELINCS	European Inventory of Existing/Notified Chemical Substances		
	Japan Existing and New Chemical Substances		

- **IECSC** China Inventory of Existing Chemical Substances
- **KECL** Korean Existing and Evaluated Chemical Substances
- **PICCS** Philippines Inventory of Chemicals and Chemical Substances
- AICS Australian Inventory of Chemical Substances

U.S. FEDERAL REGULATIONS

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Di(ethylene glycol) ethyl ether 111-90-0	111-90-0	1-5	1.0
Glycol ether TPM 25498-49-1	25498-49-1	1-5	1.0
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	34590-94-8	1-5	1.0
Zinc Ammonium Carbonate Compound 38714-47-5	38714-47-5	1-5	1.0

CLEAN WATER ACT (CWA)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc Ammonium		Х		
Carbonate Compound				

U.S. STATE REGULATIONS

CALIFORNIA PROPOSITION 65

This product does not contain any Proposition 65 chemicals.

U.S. STATE RIGHT-TO-KNOW REGULATIONS

CHEMICAL NAME	NEW JERSEY	MASSACHUSETTS	PENNSYLVANIA
Di(ethylene glycol) ethyl ether 111-90-0	x		x
Glycol ether TPM 25498-49-1	x		x
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	x	x	x
Zinc Ammonium Carbonate Compound 38714-47-5	x		x

16. OTHER INFORMATION

NFPA	HEALTH HAZARDS	FLAMMABILITY Not determined	INSTABILITY Not determined	SPECIAL HAZARDS Not determined
HMIS	HEALTH HAZARDS	FLAMMABILITY	PHYSICAL HAZARDS	PERSONAL PROTECTION
	Not determined	Not determined	Not determined	Not determined

DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

END OF SAFETY DATA SHEET