ISSUE DATE: September 2013 REVISION DATE: August 2022 VERSION: 1

1. IDENTIFICATION

PRODUCT IDENTIFIER PRODUCT NAME BESHET BOLD 41

OTHER MEANS OF IDENTIFICATION

Product Number E6-HI

Recommended Uses High Acid Bowl Cleaner

Restrictions on Use Clean and remove lime scale and rust

SDS-SUPPLIER INFORMATION

Beshet Supply

SUPPLIER ADDRESS 6225 W Howard St,

Niles, IL 60714

EMERGENCY TELEPHONE NUMBER

COMPANY PHONE NUMBER (847) 679-2600

COMPANY FAX NUMBER

24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686)

NORTH AMERICA 1-800-633-8253 INTERNATIONAL PERS 1-801-629-0667

2. HAZARDS IDENTIFICATION

CLASSIFICATION

Skin corrosion/irritation Category 1B

Eye corrosion Category 1

SIGNAL WORD Danger

HAZARD STATEMENTS



HAZARD STATEMENTS

- 1. Causes severe skin burns and eye damage
- 2. Harmful if swallowed
- 3. May be corrosive to metals

APPEARANCE Liquid PHYSICAL STATE Liquid

PRECAUTIONARY STATEMENTS

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood **PREVENTION**

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

RESPONSE Immediately call poison center or doctor/ physician.

Call POISON CENTER or doctor/ physician if you feel unwell. Rinse **IF SWALLOWED**

mouth. Do NOT induce vomiting.

Rinse cautiously with water for several minutes. Remove contact lenses, if IF IN EYES

present and easy to do. Continue rinsing If eye irritation persists: Get

medical advice/attention.

Wash with plenty of soap and water. If skin irritation occurs: Get medical IF ON SKIN/HAIR

advice/attention Take off contaminated clothing and wash it before reuse.

IF INHALED Remove victim to fresh air and keep at rest in a position comfortable for

breathing Call a poison center or doctor/physician if you feel unwell.

IF EXPOSED/CONCERNED Get medical advice/ attention.

STORAGE Store locked-up. Keep away from children.

DISPOSAL Dispose of contents/container to an approved waste disposal plant.

HAZARDS NOT OTHERWISE

N/A **CLASSIFIED (HNOC)**

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	WEIGHT - %
Hydrochloric acid	7647-01-0	15-25
Water	7732-18-5	80
Fragrance	N/A	<1
Dye	N/A	<1

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE Provide this SDS to medical personnel for treatment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

EYE CONTACT lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get **SKIN CONTACT**

medical advice/attention. Take off contaminated clothing and wash it before

reuse.

Remove person to fresh air and keep at rest in a position comfortable for **INHALATION**

breathing. Immediately call poison center or doctor/physician.

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an

INGESTION unconscious person. Drink 1-2 glasses of water. Immediate medical attention is

required.

POTENTIAL ACUTE HEALTH EFFECTS

Most important symptoms and effects, both acute and delayed

SYMPTOMS Probable mucosal damage may contraindicate the use of gastric lavage.

NOTES TO PHYSICIAN Treat symptomatically

5. FIRE-FIGHTING MEASURES

Use extinguishing measures that are appropriate to local SUITABLE EXTINGUISHING MEDIA

circumstances and the surrounding environment.

UNSUITABLE EXTINGUISHING MEDIA None known

SPECIFIC HAZARDS ARISING FROM CHEMICAL Not determined

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/ NIOSH (approved and equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protective equipment as required. PERSONAL PRECAUTIONS **ENVIRONMENTAL PRECAUTIONS** See Section 12 for additional Ecological Information.

METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

CONTAMINATION Prevent further leakage or spillage is safe to do so CLEAN-UP Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

PROTECTIVE MEASURES

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Do not breathe dust/fume/gas/mist/vapor/ spray. Do not eat, drink, or smoke when using this product. Use personal protection recommended in Section 8.

CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES)

STORAGE CONDITIONS

Keep containers tightly closed in a dry, cool and well-ventilated place. Store

locked up.

INCOMPATIBLE MATERIALS None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES

Chemical Name ACGIH TLV **OSHA PEL** NIOSH IDLH Hydrochloric acid 2 ppm 5 ppm 7647-01-0

ENGINEERING CONTROLS: Apply technical measures to comply with the occupational exposure limits.

INDIVIDUAL PROTECTION MEASURES

EYE/FACE PROTECTION Refer to 29 CFR 1910.133 for eye and face protection regulations. SKIN/BODY PROTECTION Refer to 29 CFR 1910.138 for appropriate skin and body protection. Refer to 29 CFR 1910.134 for respiratory protection requirements. RESPIRATORY PROTECTION Handle in accordance with good industrial hygiene and safety practice. GENERAL HYGIENE

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Liquid

> **APPERANCE** According to product specification

> > Blue opaque COLOR

ODOR Fresh

ODOR THRESHOLD Not determined

> <1.0 Hq

MELTING POINT/FREEZING POINT 32 °F; 0 °C

212 °F: 100 °C **BOILING POINT/BOILING RANGE**

> **FLASH POINT** Not determined

EVAPORATION RATE (Water =1) 1.0

FLAMMABILITY (SOLID, GAS) Not determined **UPPER FLAMMABILITY LIMITS** Not determined LOWER FLAMMABILITY LIMITS Not determined

> **VAPOR PRESSURE** 20 mm Hg at (68°F)

SPECIFIC GRAVITY 1.035 grams/ml. at 20°C (68°F)

RELATIVE DENSITY 8.64 at 20°C (68°F)

Complete WATER SOLUBILITY

PARTITION COEFFICIENT
N-OCTANOL/ WATER
AUTO-IGNITION TEMPERATURE
DECOMPOSITION TEMPERATURE
VISCOSITY
Viscosity
Not determined
Not determined
Water thin

10. STABILITY AND REACTIVITY

REACTIVITY Not reactive under normal conditions

CHEMICAL STABILITY Stable under recommended storage conditions

POSSIBILITY OF HAZARDOUS REACTIONS None under normal processing

CONDITIONS TO AVOIDINCOMPATIBLE MATERIALS

Keep out of reach of children. Avoid excessive heat.

Strong alkalis, reducing agents, chlorine bleach products; metals e.g. aluminum, brass, copper, iron.

HAZARDOUS DECOMPOSITION PRODUCTS None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure.

EYE CONTACT
SKIN CONTACT
INHALATION
Avoid contact with skin.
Avoid breathing vapors or mists.

INGESTION May be harmful if swallowed.

COMPONENT INFORMATION

CHEMICAL NAMEORAL LD50DERMAL LD50INHALATION LC50Hydrochloric acid900 mg/kg (rat)-2134 mg/l (Rat), Aerosol7647-01-0

SYMPTOMS Please see section 4 of this SDS for symptoms.

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Isopropyl Alcohol (IPA) is an IARC Monograph Group 3 chemical. IPA is a Group 1 when

manufactured by the strong-acid process.

Chemical Name ACGIH IARC NTP OSHA

NUMERICAL MEASURES OF TOXICITY-PRODUCT Not determined.

12. ECOLOGICAL INFORMATION ECOTOXICITY Harmful to aquatic life with long lasting effects. ALGAE/

CHEMICAL AQUATIC TOXIC TO

NAME PLANTS FISH MICROORGANISMS CRUSTACEA

PERSISTENCE AND DEGRADABILITY Not determined BIOACCUMULATION Not determined OTHER ADVERSE EFFECTS Not determined

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

WASTE DISPOSAL

Disposal should be in accordance with applicable regional,

national and local laws and regulations.

CONTAMINATED PACKAGING

Disposal should be in accordance with applicable regional,

national and local laws and regulations.

14. TRANSPORT INFORMATION

DOT

UN/ ID No UN1760

Proper Shipping Name Compound, Cleaning Liquid

Hazard Class 8
Packing Group III

IATA

UN/ ID No UN1760

Proper Shipping Name Compound, Cleaning Liquid

Hazard Class 8
Packing Group |||

IMDG

UN/ ID No UN1760

Proper Shipping Name Compound, Cleaning Liquid

Hazard Class 8
Packing Group III

15. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name

Hazardous Substances RQs

CERCLA/SARA RQ

Reportable Quantity (RQ)

Hydrochloric acid 7647-01-0

5000 lb

SARA 313/312 HAZARD CATEGORIES

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Hydrochloric acid	7647-01-0	5-10	

CLEAN WATER ACT (CWA)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrochloric acid	5000 lb			

U.S. STATE REGULATIONS

11.0	CTATE	RIGHT-TO	KNOW	DECIII	ATIONS
U.5.	SIAIE	RIGHI-IO	-M IN () V V	RFGUI	AIIUNS

CHEMICAL NAME	NEW JERSEY	MASSACHUSETTS	PENNSYLVANIA
Hydrochloric acid 7647-01-0	X	X	X
Nonylphenol Ethoxylate	X	X	X

16 OTHER INFORMATION

NFPA	HEALTH HAZARDS	FLAMMABILITY Not determined	INSTABILITY Not determined	SPECIAL HAZARDS Not determined
HMIS	HEALTH HAZARDS	FLAMMABILITY	PHYSICAL HAZARDS	PERSONAL PROTECTION
TIMIS	3	Not determined	Not determined	R

DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

END OF SAFETY DATA SHEET